hereby certify that on the date specified below, this correspondence is being deposited with the United States ostal Service as first-class mark in an envelope addressed to the Commissioner of Patents, Washington, DC 20231.

Ayesha S. Wilks

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Vishnu K. Agarwal

Attorney Docket No.: 501082.02 (98-0616.01)

Serial No. : 09/652,994

Group Art Unit

: 2815

Filed

: August 31, 2000

Examiner

: Jesse A. Fenty

Title

: DEVICE AND METHOD FOR PROTECTING AGAINST OXIDATION OF A

CONDUCTIVE LAYER IN SAID DEVICE

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Commissioner of Patents Washington, D.C. 20231

Sir:

In accordance with 37 C.F.R. §§ 1.56 and 1.97 through 1.98, applicant wishes to make known to the Patent and Trademark Office the reference set forth on the attached form PTO-1449 (a copy of the cited reference, as required under 37 C.F.R. § 1.98, is enclosed). Although the aforesaid reference is made known to the Patent and Trademark Office in compliance with applicant's duty to disclose all information he is aware of which is believed relevant to the examination of the above-identified application, applicant believes that his invention is patentable.

I hereby certify that no item set forth on the attached form PTO-1449 was cited in a communication from a foreign patent office in a counterpart foreign application or, to my knowledge, after making reasonable inquiry, was known to any individual designated in 37 C.F.R. § 1.56(c) more than three months prior to the filing of this Supplemental Information Disclosure Statement.

Please acknowledge receipt of this Supplemental Information Disclosure Statement and kindly make the cited reference of record in the above-identified application.

Respectfully submitted,

DORSEY & WHITNEY LLP

Kimton N. Eng

Registration No. 43,605

KNE:asw

Enclosures:

Postcard Form PTO-1449 Cited Reference (1)

1420 Fifth Avenue, Suite 3400 Seattle, WA 98101 Telephone (206) 903-8800 Facsimile (206) 903-8820

 $h:\line to technology \ensuremath{\mbox{1000}$}\label{thm:line} 1000 \ensuremath{\mbox{501082.02}$}\label{thm:line} 501082.02 \ensuremath{\mbox{501082.02}$}\label{thm:line} supplies \ensuremath{\mbox{7.doc}}\label{thm:line}$